

Woche	Chargen-Nr.	Artikelbezeichnung	Koscher	Aerobe, mesophile Keime	Enterobacteriaceae	Salmonellen	B. cereus	° Brix	pH	Salz %	Flipronil	MHD Fremdprod.	Bemerkungen
Toleranzwert (T) / Grenzwert (G) / Sollwert (S)				T: ≤1,0 ⁴	T: ≤10	G: nn in 25g	S: ≤1,0 ⁴						
		SOLL-Werte											
		Vollei nature		≤2,0 ⁴	≤10	nn	≤1000	23,0 - 27,0	7,0 - 8,0				
		Vollei 1,9% Salz		≤2,0 ⁴	≤10	nn	≤1000	27,0 - 31,0	7,0 - 8,0	2,1-2,4%			
		Vollei 3,3% Salz		≤2,0 ⁴	≤10	nn	≤1000	28,0 - 31,0	7,0 - 8,0	3,4-3,9%			
		Vollei 10,0% Salz		≤2,0 ⁴	≤10	nn	≤1000	33,0 - 38,0	7,0 - 8,0	>10,0%			
		Vollei 33,3% Zucker		≤2,0 ⁴	≤10	nn	≤1000	46,0 - 53,0	7,0 - 8,0				
		Vollei-Gelb-Mix		≤2,0 ⁴	≤10	nn	≤1000	25,5 - 32,0	7,0 - 8,0				
		Vollei m/Kirsch		≤2,0 ⁴	≤10	nn	≤1000	22,0 - 26,0	7,2 - 8,2				
		Vollei-Eiweiss-Mix (90%, 10%)		≤2,0 ⁴	≤10	nn	≤1000	21,0 - 25,0	7,5 - 8,5				
		Vollei-Eiweiss-Mix (67%, 33%)		≤2,0 ⁴	≤10	nn	≤1000	19,0 - 23,0	7,5 - 8,7				
		Vollei-Konzentrat 50% Zucker		≤2,0 ⁴	≤10	nn	≤1000	71,5 - 74,0	7,0 - 8,5				
		Eiweiss0 + 1		≤2,0 ⁴	≤10	nn	≤1000	12,4 - 16,8	8,5 - 10,0				
		Eiweiss2		≤2,0 ⁴	≤10	nn	≤1000	13,5 - 16,0	5,7 - 7,0				
		Eiweiss E 270		≤2,0 ⁴	≤10	nn	≤1000	12,0 - 15,0	7,0 - 8,5				
		Eiweiss0 33% Zucker		≤2,0 ⁴	≤10	nn	≤1000	38,0 - 44,0	8,5 - 9,5				
		Eiweiss0 67% Zucker		≤2,0 ⁴	≤10	nn	≤1000	65,0 - 70,0	7,8 - 9,5				
		Eigelb nature		≤2,0 ⁴	≤10	nn	≤1000	39,0 - 46,0	6,1 - 7,5				
		Eigelb 8% Salz		≤2,0 ⁴	≤10	nn	≤1000	46,5 - 51,0	5,8 - 6,5				
		Eigelb 9% & 11% Salz		≤2,0 ⁴	≤10	nn	≤1000	48,0 - 52,0	5,8 - 6,5				
		Eigelb 9% & 11% Salz hitzestabil		≤2,0 ⁴	≤10	nn	≤1000	48,0 - 52,0	5,4 - 6,2				
		Eigelb 33,3% Zucker		≤2,0 ⁴	≤10	nn	≤1000	55,0 - 60,0	6,2 - 7,2				
		Eistreiche		≤2,0 ⁴	≤10	nn	≤1000	27,0 - 32,0	7,0 - 8,0				
		Zopf-Eistreiche		≤2,0 ⁴	≤10	nn	≤1000	30,0 - 36,0	6,8 - 7,8				
		Eistreiche GLANZ VE-MP		≤2,0 ⁴	≤10	nn	≤1000	25,0 - 29,0	7,0 - 8,0				
		Eistreiche GLANZ VE-EG-MP		≤2,0 ⁴	≤10	nn	≤1000	27,0 - 32,0	6,5 - 7,5				
		Eistreiche GLANZ VE-EW-MP		≤2,0 ⁴	≤10	nn	≤1000	22,0 - 28,0	7,0 - 8,0				
		Eistreiche GLANZ WMP		≤2,0 ⁴	≤10	nn	≤1000	22,5 - 26,0	7,0 - 8,0				
		Vollei-Pulver		≤1,0 ⁴	≤10	nn	≤1000	≥ 95,5	8,0 - 9,5				
		Vollei-Pulver Pigment		≤1,0 ⁴	≤10	nn	≤1000	≥ 95,0	7,0 - 9,5				
		Eiweiss-Pulver Standard		≤1,0 ⁴	≤10	nn	≤1000	≥ 92,0	6,0 - 8,5				
		Eiweiss-Pulver m/E 270		≤1,0 ⁴	≤10	nn	≤1000	≥ 92,0	6,5 - 8,5				
		Eiweiss-Pulver high gel		≤1,0 ⁴	≤10	nn	≤1000	≥ 92,0	6,5-10,5				
		Eiweiss-Pulver high gel INSTANT		≤1,0 ⁴	≤10	nn	≤1000	≥ 92,0	6,5-10,5				
		Eiweiss-Pulver high whip		≤1,0 ⁴	≤10	nn	≤1000	≥ 92,0	5,5 - 8,0				
		Eiweiss-Pulver high whip INSTANT		≤1,0 ⁴	≤10	nn	≤1000	≥ 92,0	6,0 - 6,5				
		Eigelb-Pulver		≤1,0 ⁴	≤10	nn	≤1000	≥ 95,0	5,5 - 7,0				
		Eigelb-Pulver hitzestabil		≤1,0 ⁴	≤10	nn	≤1000	≥ 95,0	5,5 - 7,0				
		Vollei GustOvo		≤2,0 ⁴	≤10	nn	≤1000	23,5 - 27,0	6,2 - 7,0				
		Eiweiss GustOvo		≤2,0 ⁴	≤10	nn	≤1000	13,0 - 16,5	6,0 - 7,0				
		Eigelb GustOvo		≤2,0 ⁴	≤10	nn	≤1000	38,0 - 44,0	5,8 - 6,4				
		Rührei GustOvo		≤2,0 ⁴	≤10	nn	≤1000	20,5 - 26,0	6,2 - 7,0				
2023.23	090623.08	Vollei Bodenhaltung EU 3,3% Salz KAT		≤1,0 ²	≤10	nn	≤50	28,5	7,45	3,6%			
2023.23	15604	Eigelb Freilandhaltung EU KAT 1 KG GustOvo		≤1,0 ²	≤10	nn		39,7	6,15				14.07.23
2023.23	15605	Eigelb Freilandhaltung CH 1 KG GustOvo	x	≤1,0 ²	≤10	nn		40,1	6,15				14.07.23
2023.23	15609	Vollei Freilandhaltung CH 1 KG GustOvo	x	≤1,0 ²	≤10	nn		24,6	6,58				14.07.23
2023.23	15612	Rührei Freilandhaltung CH 1 KG GustOvo		≤1,0 ²	≤10	nn		21,9	6,59				14.07.23
2023.23	15703	Eiweiss hitzeb. Freilandh. EU KAT 1 KG GustOvo		≤1,0 ²	≤10	nn		14,2	9,48				15.07.23
2023.23	15704	Eiweiss hitzeb. Freilandhaltung CH 1 KG GustOvo		≤1,0 ²	≤10	nn		13,8	6,44				15.07.23
2023.23	15707	Vollei Freilandhaltung CH 1 KG GustOvo		≤1,0 ²	≤10	nn		24,3	6,64				14.07.23
2023.23	15711	Vollei Freilandhaltung EU KAT 1 KG GustOvo		≤1,0 ²	≤10	nn		24,2	6,55				14.07.23
2023.23	15801	Eigelb Freilandhaltung CH 1 KG GustOvo		≤1,0 ²	≤10	nn		39,4	6,80				16.07.23
2023.23	15802	Vollei Freilandhaltung CH 1 KG GustOvo		≤1,0 ²	≤10	nn		24,9	6,56				16.07.23
2023.23	15810	Rührei Freilandhaltung CH 1 KG GustOvo		≤1,0 ²	≤10	nn		23,5	6,57				16.07.23
2023.23	16002	Vollei Freilandhaltung CH 1 KG GustOvo		≤1,0 ²	≤10	nn	≤50	24,5	6,60				16.07.23
2023.23	250423.01	Eiweiss0 hitzeb. Freilandhaltung CH		≤1,0 ²	≤10	nn		14,3	9,45				30.05.23 Probeentnahme: 07.06.2023. 43 Tg
2023.23	030523.08	Eistreiche GLANZ VE-EW-MP Freilandhaltung CH		≤1,0 ²	≤10	nn		26,2	7,31				31.05.23 Probeentnahme: 07.06.2023. 35 Tg
2023.23	080523.04	Eigelb Freilandhaltung CH	x	≤1,0 ²	≤10	nn		40,5	6,43				30.05.23 Probeentnahme: 07.06.2023. 30 Tg
2023.23	080523.06	Vollei Freilandhaltung CH	x	≤1,0 ²	≤10	nn		24,3	7,75				30.05.23 Probeentnahme: 07.06.2023. 30 Tg
2023.23	10705	Vollei Freilandhaltung CH 1 KG GustOvo	x	≤1,0 ²	≤10	nn		24,9	6,62				26.05.23 Probeentnahme: 06.06.2023. 50 Tg
2023.23	10902	Vollei Freilandhaltung CH 1 KG GustOvo		≤1,0 ²	≤10	nn		26,2	6,56				28.05.23 Probeentnahme: 06.06.2023. 48 Tg
2023.23	11007	Vollei Freilandhaltung EU KAT 1 KG GustOvo		≤1,0 ²	≤10	nn		24,7	6,68				29.05.23 Probeentnahme: 06.06.2023. 47 Tg
2023.23	11103	Vollei Freilandhaltung CH 1 KG GustOvo		≤1,0 ²	≤10	nn	≤50	25,6	6,60				30.05.23 Probeentnahme: 06.06.2023. 46 Tg
2023.23	10803	Eiweiss hitzeb. Freilandhaltung CH 1 KG GustOvo	x	≤1,0 ²	≤10	nn		14,0	6,45				27.05.23 Probeentnahme: 07.06.2023. 50 Tg
2023.23	10910	Rührei Freilandhaltung CH 1 KG GustOvo		≤1,0 ²	≤10	nn		23,1	6,62				28.05.23 Probeentnahme: 08.06.2023. 50 Tg
2023.23	10901	Eigelb Freilandhaltung CH 1 KG GustOvo		≤1,0 ²	≤10	nn		40,7	6,02				28.05.23 Probeentnahme: 08.06.2023. 50 Tg
2023.23	11403	Eigelb Freilandhaltung EU KAT 1 KG GustOvo		≤1,0 ²	≤10	nn		40,0	6,25				02.06.23 Probeentnahme: 08.06.2023. 45 Tg
2023.23	11404	Eigelb Freilandhaltung CH 1 KG GustOvo	x	≤1,0 ²	≤10	nn		40,6	6,11				02.06.23 Probeentnahme: 08.06.2023. 45 Tg